

# SAFETY DATA SHEET

Bostik Fixbond

Last changed: 20/05/2015

Internal No: P0231

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name Bostik Fixbond

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

RECOMMENDED USES: Waterbased adhesive.

### 1.3. Details of the supplier of the safety data sheet

#### NATIONAL MANUFACTURER/IMPORTER

Enterprise Bostik AB  
Address Strandbadsvägen 22  
Postal code 251 09 Helsingborg  
Country Sweden  
Email Info.se@bostik.com  
Internet www.bostik.se  
Tel +46 42 19 50 00

#### CONTACT PERSON

| Name                       | Email | Tel             | Country |
|----------------------------|-------|-----------------|---------|
| Bostik AB Miljöavdelningen |       | +46 42 19 50 00 |         |

### 1.4. Emergency telephone number

| Emergency Phone | Type of assistance                  | Opening Hours |
|-----------------|-------------------------------------|---------------|
| +46 8 331231    | Swedish Poisons Informations Centre |               |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### DPD

**Classification:** Classification according to Directive 1999/45 / EC DPD. The product is not classified as dangerous according to Directive 1999/45 / EC and its amendments..

#### CLP

**Classification:** Classification according to Regulation (EC) No 1272/2008 CLP / GHS: not classified..

#### Most serious

**harmful effects::** Further information on potential health effects and symptoms of Section 11..

### 2.2. Label elements

Signal word: None

### 2.3. Other hazards

No specific dangers known, if the regulations / instructions for storage and handling are considered.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

# SAFETY DATA SHEET

Bostik Fixbond

Last changed: 20/05/2015

Internal No: P0231

| Ingredient name   | Reg. no. | EC No. | CAS No.   | Conc. (wt%) | DPD-Classification         | CLP-classification |
|-------------------|----------|--------|-----------|-------------|----------------------------|--------------------|
| Inorganic filler  | -        | -      | -         |             | No classification required |                    |
| water             | -        | -      | 7732-18-5 |             | No classification required |                    |
| acrylic copolymer |          | -      | -         |             | No classification required |                    |

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### INHALATION

Fresh air and rest. Keep the respiratory tract clear.

#### INGESTION

Drink a few glasses of water. Contact physician if larger quantity has been consumed. Never give anything by mouth to an unconscious person.

#### SKIN

Wash skin thoroughly with soap and water. Do not use solvents. Remove contaminated clothing.

#### EYES

Remove any contact lenses and rinse with water for at least 15 minutes (keep the eyelids open). Get medical attention if any discomfort continues.

#### BURNS

Not applicable.

#### GENERAL

When obtaining medical advice, show the safety data sheet or label.

### 4.2. Most important symptoms and effects, both acute and delayed

By prolonged contact, the product may dry the skin.

### 4.3. Indication of any immediate medical attention and special treatment needed

No specific information beyond that provided otherwise in this data sheet considered necessary for the treating physician.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING MEDIA:

Extinguish with powder, carbon dioxide, foam or fine water mist.

#### UNSUITABLE EXTINGUISHING MEDIA

Do not use a direct water jet.

### 5.2. Special hazards arising from the substance or mixture

Formation of hazardous vapours may take place at decomposition temperatures.

### 5.3. Advice for firefighters

# SAFETY DATA SHEET

Bostik Fixbond

Last changed: 20/05/2015

Internal No: P0231

Do not allow extinguishing water or spillage to run out into the sewage system. Breathing apparatus should be used in fire fighting.

## OTHER INFORMATION

Cool containers exposed to flames with water until well after the fire is out.

---

## SECTION 6: Accidental release measures

---

### 6.1. Personal precautions, protective equipment and emergency procedures

---

#### PERSONAL PRECAUTIONS

Wear necessary protective equipment.

#### FOR NON-EMERGENCY PERSONNEL

NB! Risk of slipping due to spillage. Avoid direct contact.

#### FOR EMERGENCY RESPONDERS

Show this safety data sheet, if possible.

---

### 6.2. Environmental precautions

---

The product is not classified as dangerous to the environment according to Scandinavian or ECC criteria and information available and known to us.

---

### 6.3. Methods and material for containment and cleaning up

---

#### METHODS AND MATERIAL

Soak up with sawdust, sand or other inert absorption material and collect into enclosed containers.

---

### 6.4. Reference to other sections

---

See Section 8 for personal protective equipment and section 13 for waste disposal.

## OTHER INFORMATION

In the event of major emissions, contact the relevant authorities.

---

## SECTION 7: Handling and storage

---

### 7.1. Precautions for safe handling

---

Good working hygiene must always be observed when handling product. NB! Risk of slipping due to spillage. Wash at the end of each work shift and before eating, smoking and using the toilet.

---

### 7.2. Conditions for safe storage, including any incompatibilities

---

Keep out of the reach of children. Store above 0 °C. Store in water resistant packaging.

---

### 7.3. Specific end use(s)

---

See Product Data Sheet.

---

## SECTION 8: Exposure controls/personal protection

---

### 8.1. Control parameters

---

### 8.2. Exposure controls

---

#### APPROPRIATE ENGINEERING CONTROLS

Workplace and work methods are designed to prevent direct contact.

# SAFETY DATA SHEET

## Bostik Fixbond

Last changed: 20/05/2015

Internal No: P0231

### EYE PROTECTION

Eye protection is recommended when there is a risk of direct contact or splashes

### SKIN PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

### HAND PROTECTION

Protective gloves must be used if there is a risk of direct contact or splash. Use suitable protective gloves if risk of skin contact.

### RESPIRATORY PROTECTION

Ensure good general ventilation.

### OTHER INFORMATION

Good working hygiene must always be observed when handling product.

### LIMITATION OF ENVIRONMENTAL EXPOSURE

Prevent discharges into the sewage system, watercourses or ground.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                            |                                       |
|----------------------------|---------------------------------------|
| <b>STATE</b>               | Liquid.                               |
| <b>COLOUR</b>              | Off-white                             |
| <b>ODOUR</b>               | Odourless or no characteristic odour. |
| <b>SOLUBILITY IN WATER</b> | Miscible with water.                  |

| Parameter                               | Value/unit | Method/reference | Observation |
|---|------------|------------------|-------------|
| pH (concentrate)                        | No data    |                  |             |
| pH (solution for use)                   | No data    |                  |             |
| Melting point                           | No data    |                  |             |
| Freezing point                          | No data    |                  |             |
| Initial boiling point and boiling range | No data    |                  |             |
| Flash point                             | No data    |                  |             |
| Evaporation rate                        | No data    |                  |             |
| Flammability (solid, gas)               | No data    |                  |             |
| Flammability limits                     | No data    |                  |             |
| Explosion limits                        | No data    |                  |             |
| Vapour pressure                         | No data    |                  |             |
| Vapour density                          | No data    |                  |             |
| Relative density                        | No data    |                  |             |
| Partition coefficient                   | No data    |                  |             |
| Auto-ignition temperature               | No data    |                  |             |
| Decomposition temperature               | No data    |                  |             |
| Viscosity                               | No data    |                  |             |

### 9.2. Other information

| Parameter | Value/unit            | Method/reference | Observation |
|-----------|-----------------------|------------------|-------------|
| Density   | 1,2 g/cm <sup>3</sup> |                  |             |

| Note no. | Comments |
|----------|----------|
|----------|----------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

# SAFETY DATA SHEET

Bostik Fixbond

Last changed: 20/05/2015

Internal No: P0231

No known significant effects or critical hazards.

---

## 10.2. Chemical stability

Stable under recommended storage and handling conditions.

---

## 10.3. Possibility of hazardous reactions

No dangerous reactions known.

---

## 10.4. Conditions to avoid

Protected against freezing.

---

## 10.5. Incompatible materials

Avoid contact with oxidizing substances, strong acids and strong bases.

---

## 10.6. Hazardous decomposition products

Carbon dioxide is formed when heated or in a fire.

---

## SECTION 11: Toxicological information

---

### 11.1. Information on toxicological effects

---

#### Acute toxicity - oral

Drink a few glasses of water. Contact physician if larger quantity has been consumed.

---

#### Acute toxicity - dermal

No known significant effects or critical hazards.

---

#### Acute toxicity - inhalation

No known significant effects or critical hazards.

---

#### Skin corrosion/irritation

May have a drying effect.

---

#### Serious eye damage/eye irritation

Splashes in the eyes may cause irritation and problems due to the adhesive properties of the product.

---

## SECTION 12: Ecological information

---

### 12.1. Toxicity

#### ACUTE AQUATIC TEST RESULTS

No information available

#### ECOTOXICITY

Ecotoxicological information for the product is not available.

---

### 12.2. Persistence and degradability

---

# SAFETY DATA SHEET

Bostik Fixbond

Last changed: 20/05/2015

Internal No: P0231

Discharges of smaller quantities to adapted biological cleaning facilities do not affect the bio sludge.

## 12.3. Bioaccumulative potential

No information available

## 12.4. Mobility in soil

No information available

## 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

## 12.6. Other adverse effects

None known.

## OTHER INFORMATION

Prevent discharges into the sewage system, watercourses or ground.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### GENERAL REGULATIONS

Treat as industrial waste. When handling larger volumes consult local authorities and local waste disposal organisation.

#### CATEGORY OF WASTE

EWC-Code 080410

## SECTION 14: Transport information

Classified as Dangerous Goods: No

| Land transport (ADR/RID)         |                |                             |                |
|----------------------------------|----------------|-----------------------------|----------------|
| 14.1. UN number                  | Not applicable | 14.4. Packing group         | Not applicable |
| 14.2. UN proper shipping name    | Not applicable | 14.5. Environmental hazards | Not applicable |
| 14.3. Transport hazard class(es) | Not applicable |                             |                |
| Hazard label(s)                  | Not applicable |                             |                |
| Hazard identification number     | Not applicable | Tunnel restriction code     | Not applicable |

# SAFETY DATA SHEET

Bostik Fixbond

Last changed: 20/05/2015

Internal No: P0231

| Inland water ways transport (ADN)    |                |                             |                |
|--------------------------------------|----------------|-----------------------------|----------------|
| 14.1. UN number                      | Not applicable | 14.4. Packing group         | Not applicable |
| 14.2. UN proper shipping name        | Not applicable | 14.5. Environmental hazards | Not applicable |
| 14.3. Transport hazard class(es)     | Not applicable |                             |                |
| Hazard label(s)                      | Not applicable |                             |                |
| Environmental hazard in tank vessels | Not applicable |                             |                |

| Sea transport (IMDG)                  |                |                             |                |
|---------------------------------------|----------------|-----------------------------|----------------|
| 14.1. UN number                       | Not applicable | 14.4. Packing group         | Not applicable |
| 14.2. UN proper shipping name         | Not applicable | 14.5. Environmental hazards | Not applicable |
| 14.3. Transport hazard class(es)      | Not applicable |                             |                |
| Hazard label(s)                       | Not applicable |                             |                |
| Sub Risk:                             | Not applicable |                             |                |
| IMDG Code segregation group           | Not applicable |                             |                |
| Marine pollutant                      | Not applicable |                             |                |
| Substance name(s) on marine pollutant | Not applicable |                             |                |
| EMS:                                  | Not applicable |                             |                |

| Air transport (ICAO-TI / IATA-DGR) |                |                     |                |
|------------------------------------|----------------|---------------------|----------------|
| 14.1. UN number                    | Not applicable | 14.4. Packing group | Not applicable |
| 14.2. UN proper shipping name      | Not applicable |                     |                |
| 14.3. Transport hazard class(es)   | Not applicable |                     |                |
| Hazard label(s)                    | Not applicable |                     |                |

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### PROVISIONS

Safety, health and environmental regulations / legislation specific for the substance or mixture. EU Regulation (EC) No 1907/2006 (REACH).

### 15.2. Chemical safety assessment

#### OTHER INFORMATION

Not established.

# SAFETY DATA SHEET

Bostik Fixbond

Last changed: 20/05/2015

Internal No: P0231

---

## SECTION 16: Other information

---

**ISSUED:** 20/05/2015

### VENDOR NOTES

The information on this Safety Data Sheet is based on our present knowledge and applicable EU and national laws. The product should not be used for other purposes than as specified in paragraph 1, without a prior written instruction from the supplier. It is always the full responsibility of the user to follow the requirements according to the law. The information on the Safety Data Sheet is intended to describe the security requirements of the product and is not a guarantee for the product quality.

### USER NOTES

Version 1